

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifier**

Trade name

Sodium bis(trimethylsilyl)amide, 2M solution in THF

Stock number:

L13352

CAS Number:

1070-89-9

1.2 Relevant identified uses of the substance or mixture and uses advised against.

Identified use:

SU24 Scientific research and development

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier:

Alfa Aesar GmbH & Co.KG
A Johnson Matthey Company
Zeppelinstr. 7b
76185 Karlsruhe / Germany
Tel: +49 (0) 721 84007 280
Fax: +49 (0) 721 84007 300
Email: tech@alfa.com
www.alfa.com

Informing department:

Product safety Tel + +049 (0) 7275 988687-0

1.4 Emergency telephone number:

Carechem 24: +44 (0) 1235 239 670 (Multi-language emergency number)

Poison Information Center Mainz

www.giftinfo.uni-mainz.de Telephone: +49(0)6131/19240

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture**

Classification according to Regulation (EC) No 1272/2008



GHS02 flame

Flam. Liq. 1 H224 Extremely flammable liquid and vapour.



GHS05 corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

C: Corrosive

R34: Causes burns.



F: Highly flammable

R11: Highly flammable.

R14-19: Reacts violently with water. May form explosive peroxides.

Information concerning particular hazards for human and environment:

Other hazards that do not result in classification

Not applicable

No information known.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

Hazard pictograms

Signal word

Hazard statements

Precautionary statements

The substance is classified and labelled according to the CLP regulation.

GHS02, GHS05

Danger

H224 Extremely flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

P210

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P280

Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304+P340

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

P309

IF exposed or if you feel unwell:

P402

Store in a dry place.

Additional information:

EUH014 Reacts violently with water.

EUH019 May form explosive peroxides.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT:

Not applicable.

vPvB:

Not applicable.

SECTION 3: Composition/information on ingredients**3.1 Substances**

CAS# Designation:

1070-89-9 Sodium bis(trimethylsilyl)amide, 2M solution in THF

SECTION 4: First aid measures**4.1 Description of first aid measures**

General information

After inhalation

Instantly remove any clothing soiled by the product.

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact

Seek immediate medical advice.

Instantly wash with water and soap and rinse thoroughly.

After eye contact

Seek immediate medical advice.

After swallowing

Rinse opened eye for several minutes under running water. Then consult doctor.

Seek medical treatment.

4.2 Most important symptoms and effects, both acute and delayed

No further relevant information available.

4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures**5.1 Extinguishing media**

Suitable extinguishing agents

CO2, sand, extinguishing powder. Do not use water.

For safety reasons unsuitable extinguishing agents

Water.

5.2 Special hazards arising from the substance or mixture

Reacts violently with water

If this product is involved in a fire, the following can be released:

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

Trade name Sodium bis(trimethylsilyl)amide, 2M solution in THF

(Contd. of page 1)

**5.3 Advice for firefighters
Protective equipment:**

Sodium oxide
Silicon oxide

Wear self-contained breathing apparatus.
Wear full protective suit.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.
Ensure adequate ventilation

6.2 Environmental precautions:

Keep away from ignition sources
Do not allow material to be released to the environment without proper governmental permits.
Do not allow product to reach sewage system or water bodies.
Do not allow to enter the ground/soil.

6.3 Methods and material for containment and cleaning up:

Keep away from ignition sources.
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Use neutralizing agent.
Dispose of contaminated material as waste according to item 13.
Ensure adequate ventilation.

**Prevention of secondary hazards:
6.4 Reference to other sections**

Do not flush with water or aqueous cleansing agents
Keep away from ignition sources.
See Section 7 for information on safe handling
See section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle under dry protective gas.
Keep containers tightly sealed.
Store in cool, dry place in tightly closed containers.
Ensure good ventilation/exhaustion at the workplace.
Open and handle container with care.

Information about protection against explosions and fires:

Protect against electrostatic charges.
Fumes can combine with air to form an explosive mixture.
Do not distill to dryness.
Explosive peroxides may form, handle container cautiously.

7.2 Conditions for safe storage, including any incompatibilities

**Storage Requirements to be met by storerooms and containers:
Information about storage in one common storage facility:**

Store in cool location.

Store away from oxidizing agents.
Store away from water.

Further information about storage conditions:

Store under dry inert gas.
This product is moisture sensitive.
Protect from humidity and keep away from water.
Store in cool, dry conditions in well sealed containers.
Avoid contact with air / oxygen (formation of peroxide).
Store in a locked cabinet or with access restricted to technical experts or their assistants.
Check container pressure periodically to prevent explosive peroxides.

7.3 Specific end use(s)

No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about design of technical systems:

Properly operating chemical fume hood designed for hazardous chemicals and having an average face velocity of at least 100 feet per minute.

**8.1 Control parameters
Components with critical values that require monitoring at the workplace:**

Tetrahydrofuran
ppm
ACGIH TLV 200; 250-STEL
Austria MAK 200
Belgium TWA 200; 250-STEL
Denmark TWA 100
Finland TWA 100; 150-STEL
France VME 200
Germany MAK 200
Hungary TWA 200; 400-STEL
Japan OEL 200
Korea TLV 200; 250-STEL
Netherlands MAC-TGG 100 (skin)
Norway TWA 50
Poland TWA 600 mg/m³; 750 mg/m³-STEL
Russia TWA 200; 100-STEL
Sweden NGV 50; 80-KTV
Switzerland MAK-W 200; 1000-STEL
United Kingdom TWA 100; 200-STEL (skin)
USA PEL 200
No data

Additional information:

**8.2 Exposure controls
Personal protective equipment
General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.
Keep away from foodstuffs, beverages and food.
Instantly remove any soiled and impregnated garments.
Wash hands during breaks and at the end of the work.
Avoid contact with the eyes and skin.
Maintain an ergonomically appropriate working environment.

Breathing equipment:

Protection of hands:

Use breathing protection with high concentrations.
Check protective gloves prior to each use for their proper condition.
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Material of gloves

Penetration time of glove material

Impervious gloves
Not determined

(Contd. on page 3)
DE/E

Trade name Sodium bis(trimethylsilyl)amide, 2M solution in THF

Eye protection: Tightly sealed safety glasses.
Full face protection

Body protection: Protective work clothing.

(Contd. of page 2)

SECTION 9: Physical and chemical properties
9.1 Information on basic physical and chemical properties
General Information
Appearance:

Form: Liquid
Colour: Yellow
Smell: Characteristic
Odour threshold: Not determined.

pH-value: Not determined.

Change in condition

Melting point/Melting range: Not determined
Boiling point/Boiling range: Not determined
Sublimation temperature / start: Not determined

Flash point: Not determined
Inflammability (solid, gaseous): Not determined.
Ignition temperature: Not determined
Decomposition temperature: Not determined
Self-inflammability: Not determined.

Danger of explosion: May form explosive peroxides.
Do not distill to dryness.

Critical values for explosion:

Lower: Not determined
Upper: Not determined
Steam pressure: Not determined
Density at 20 °C: 0,92 g/cm³
Relative density: Not determined.
Vapour density: Not determined.
Evaporation rate: Not determined.

Solubility in / Miscibility with

Water: Reacts violently
Partition coefficient (n-octanol/water): Not determined.

Viscosity:
dynamic: Not determined.
kinematic: Not determined.

9.2 Other information No further relevant information available.

SECTION 10: Stability and reactivity
10.1 Reactivity

Reacts violently with water.
May form explosive peroxides.
Stable under recommended storage conditions.

10.2 Chemical stability
Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Reacts violently with water
Forms peroxides
Oxidizing agents

10.5 Incompatible materials:

Water/moisture
Carbon monoxide and carbon dioxide
Nitrogen oxides (NO_x)
Sodium oxide
Silicon oxide

SECTION 11: Toxicological information
11.1 Information on toxicological effects
Acute toxicity:

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

LD/LC50 values that are relevant for classification:

Tetrahydrofuran (CAS# 109-99-9): Oral: LD50: 1650 mg/kg (rat); Inhalative: LC50/3H: 21000 ppm/3H (rat)

Skin irritation or corrosion:

Causes severe skin burns.

Eye irritation or corrosion:

Irritant effect.
Causes serious eye damage.

Sensitization:

No sensitizing effect known.

Germ cell mutagenicity:

No effects known.
NTP-R: Reasonably anticipated to be a carcinogen: limited evidence from studies in humans or sufficient evidence from studies in experimental animals.
ACGIH A3: Animal carcinogen: Agent is carcinogenic in experimental animals at a relatively high dose, by route(s) of administration, at site(s), of histologic type(s), or by mechanism(s) not considered relevant to worker exposure. Available epidemiologic studies do not confirm an increased risk of cancer in exposed humans.

Available evidence suggests that the agent is not likely to cause cancer in humans except under uncommon or unlikely routes or levels of exposure.

Reproductive toxicity: No effects known.

Specific target organ system toxicity - repeated exposure:

No effects known.

Specific target organ system toxicity - single exposure:

No effects known.

Aspiration hazard:

No effects known.

Additional toxicological information:

To the best of our knowledge the acute and chronic toxicity of this substance is not fully known.

SECTION 12: Ecological information
12.1 Toxicity

Aquatic toxicity: No further relevant information available.

12.2 Persistence and degradability: No further relevant information available.

12.3 Bioaccumulative potential: No further relevant information available.

12.4 Mobility in soil: No further relevant information available.

Additional ecological information:
General notes:

Do not allow material to be released to the environment without proper governmental permits.

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

Avoid transfer into the environment.

(Contd. on page 4)

Safety data sheet
according to 1907/2006/EC, Article 31

Revision: 29.01.2010

Printing date 02.07.2013

Trade name **Sodium bis(trimethylsilyl)amide, 2M solution in THF**

(Contd. of page 3)

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.
vPvB: Not applicable.
12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations**13.1 Waste treatment methods Recommendation**

Hand over to disposers of hazardous waste.
 Must be specially treated under adherence to official regulations.
 Consult state, local or national regulations for proper disposal.

Uncleaned packagings: Recommendation:

Disposal must be made according to official regulations.

SECTION 14: Transport information**UN-Number ADR, IMDG, IATA**

UN2924

14.2 UN proper shipping name ADR

2924 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Sodium bis(trimethylsilyl)amide, 1M solution in THF)
 FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Sodium bis(trimethylsilyl)amide, 1M solution in THF)

IMDG, IATA**14.3 Transport hazard class(es)**

ADR



Class Label IMDG, IATA 3 (FC) Flammable liquids.
3+8

Class Label 3 Flammable liquids.
3+8

Packing group ADR, IMDG, IATA

II

14.5 Environmental hazards:

Not applicable.

14.6 Special precautions for user Kemler Number:Warning: Flammable liquids.
338**14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**

Not applicable.

Transport/Additional information:

ADR

Excepted quantities (EQ): E2
Limited quantities (LQ) 1L
Transport category 2
Tunnel restriction code D/E

UN "Model Regulation":

UN2924, FLAMMABLE LIQUID, CORROSIVE, N.O.S. (Sodium bis(trimethylsilyl)amide, 1M solution in THF), 3 (8), II

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Australian Inventory of Chemical Substances**

Substance is not listed.

Standard for the Uniform Scheduling of Drugs and Poisons

Substance is not listed.

National regulations**Information about limitation of use:**Employment restrictions concerning young persons must be observed.
For use only by technically qualified individuals.**Water hazard class:**

Water hazard class 1 (Self-assessment): slightly hazardous for water.

Other regulations, limitations and prohibitive regulations ELINCS (European List of Notified Chemical Substances)

Substance is not listed.

Substances of very high concern (SVHC) according to REACH, Article 57

Substance is not listed.

REACH - Pre-registered substances

Substance is listed.

15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Employers should use this information only as a supplement to other information gathered by them, and should make independent judgement of suitability of this information to ensure proper use and protect the health and safety of employees. This information is furnished without warranty, and any use of the product not in conformance with this Material Safety Data Sheet, or in combination with any other product or process, is the responsibility of the user.

Department issuing data specification sheet: Health, Safety and Environmental Department.**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
 IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)
 ICAO: International Civil Aviation Organization
 ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)
 ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
 IMDG: International Maritime Code for Dangerous Goods
 IATA: International Air Transport Association
 GHS: Globally Harmonized System of Classification and Labelling of Chemicals
 CAS: Chemical Abstracts Service (division of the American Chemical Society)
 LC50: Lethal concentration, 50 percent
 LD50: Lethal dose, 50 percent